Appl. No. : 10/656,721 Filed : September 5, 2003

AMENDMENTS TO THE CLAIMS

- (Withdrawn) A subgenomic replicon of dengue virus origin comprising a deletion for the sequence coding for C. PreM. and E structural proteins (ΔCME).
- (Original) A subgenomic replicon of dengue virus origin comprising a deletion for the sequence coding for PreM and E structural proteins (\(\Delta ME \)).
- (Withdrawn) A subgenomic replicon of dengue virus origin comprising a deletion for the sequence coding for E structural protein (ΔE).
- (Withdrawn) A subgenomic replicon of dengue virus type 1 origin comprising a deletion for the sequence coding for C. PreM. and E structural proteins (ΔCME).
- (Withdrawn) A subgenomic replicon of dengue virus type 1 origin comprising a deletion for the sequence coding for PrcM and E structural proteins (ΔΜΕ).
- (Withdrawn) A subgenomic replicon of dengue virus type 1 origin comprising a deletion for the sequence coding for E structural protein (ΔΕ).
- (Withdrawn) A subgenomic replicon of dengue virus type 2 origin comprising a deletion for the sequence coding for C, PreM, and E structural proteins (ΔCME).
- (Original) A subgenomic replicon of dengue virus type 2 origin comprising a deletion for the sequence coding for PreM and E structural proteins (\(\Delta ME \)).
- (Withdrawn) A subgenomic replicon of dengue virus type 2 origin comprising a deletion for the sequence coding for E structural protein (ΔΕ).
- 10. (Withdrawn) A subgenomic replicon of dengue virus type 3 origin comprising a deletion for the sequence coding for C. PreM. and E structural proteins (ACME).
- 11. (Withdrawn) A subgenomic replicon of dengue virus type 3 origin comprising a deletion for the sequence coding for PreM and E structural proteins (\(\Delta ME \)).
- 12. (Withdrawn) A subgenomic replicon of dengue virus type 3 origin comprising a deletion for the sequence coding for E structural protein (ΔΕ).
- 13. (Withdrawn) A subgenomic replicon of dengue virus type 4 origin comprising a deletion for the sequence coding for C, PreM, and E structural proteins (ΔCME).
- 14. (Withdrawn) A subgenomic replicon of dengue virus type 4 origin comprising a deletion for the sequence coding for PreM and E structural proteins (ΔΜΕ).

Appl. No. : 10/656,721 Filed : September 5, 2003

15. (Withdrawn) A subgenomic replicon of dengue virus type 4 origin comprising a deletion for the sequence coding for E structural protein (ΔΕ).

16. (Amended) A subgenomic replicon of dengue virus origin comprising a deletion for the sequence coding for C. PreM, and E structural proteins (\(\Delta CME \)), for PreM and E structural proteins (ΔME), or for E structural protein (ΔE); and further comprising part or all of the whole 5'UTR: at least about the first 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99,100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, or 175 nucleotides of C protein; at least about the last 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95. 96. 97. 98. 99.100. 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, or 175 nucleotides of E protein; substantially all of the whole nonstructural region; and part or all of the whole 3'UTR.

17. (Original) A subgenomic replicon of dengue virus origin comprising a deletion for the sequence coding for C, PreM, and E structural proteins (ΔCME), for PreM and E structural proteins (ΔME), or for E structural protein (ΔE), which is adapted to receive at least a nucleotide sequence without disrupting its replication capabilities.

18. (Original) A vaccine comprising a subgenomic replicon of dengue virus origin which comprises a deletion for the sequence coding for C, PreM, and E structural proteins (ΔCME), for PreM and E structural proteins (ΔME), or for E structural protein (ΔE), optionally which is

Appl. No. : 10/656,721 Filed : September 5, 2003

adapted to receive at least a nucleotide sequence without disrupting its replication capabilities, and a pharmaceutically acceptable carrier.

19. (Original) A therapeutic comprising a subgenomic replicon of dengue virus origin which comprises a deletion for the sequence coding for C, PreM, and E structural proteins (ΔCME), for PreM and E structural proteins (ΔME), or for E structural protein (ΔE), optionally which is adapted to receive at least a nucleotide sequence without disrupting its replication capabilities, and a pharmaceutically acceptable carrier.

20. (Amended) A dengue virus like particle comprising a subgenomic replicon of dengue virus origin which comprises a deletion for the sequence coding for C, PreM, and E structural proteins (ΔCME), for PreM and E structural proteins (ΔME), or for E structural protein (ΔE), optionally which is adapted to receive at least a nucleotide sequence without disrupting its replication capabilities, and each of the structural proteins of the homologous dengue virus wherein said structural proteins encapsulate said subgenomic replicon.

21. (Withdrawn) A method of immunization comprising administering to an individual in need thereof a subgenomic replicon of dengue virus origin which comprises a deletion for the sequence coding for C, PreM, and E structural proteins (ΔCME), for PreM and E structural proteins (ΔME), or for E structural protein (ΔE), optionally which is adapted to receive at least a nucleotide sequence without disrupting its replication capabilities.

22. (Withdrawn) A method of immunization comprising administering to an individual in need thereof a dengue virus like particle which comprises a subgenomic replicon of dengue virus origin comprising a deletion for the sequence coding for C, PreM, and E structural proteins (Δ CME), for PreM and E structural proteins (Δ ME), or for E structural protein (Δ E), optionally which is adapted to receive at least a nucleotide sequence without disrupting its replication capabilities, and structural proteins of the homologous dengue virus wherein said structural proteins encapsulate said subgenomic replicon.

23. (Withdrawn) A method of treatment comprising administering to an individual in need thereof a subgenomic replicon of dengue virus origin which comprises a deletion for the sequence coding for C, PreM, and E structural proteins (ΔCME), for PreM and E structural proteins (ΔME), or for E structural protein (ΔE), optionally which is adapted to receive at least a nucleotide sequence without disrupting its replication capabilities.

Appl. No.

10/656,721

:

Filed

September 5, 2003

24. (Withdrawn) A method of treatment comprising administering to an individual in need thereof a dengue virus like particle which comprises a subgenomic replicon of dengue virus origin comprising a deletion for the sequence coding for C, PreM, and E structural proteins (ΔCME), for PreM and E structural proteins (ΔME), or for E structural protein (ΔE), optionally which is adapted to receive at least a nucleotide sequence without disrupting its replication capabilities, and structural proteins of the homologous dengue virus wherein said structural proteins encapsulate said subgenomic replicon.